

 **KITE OPTICS**

Kite | 8x32 FALCO | Concept-Terrain

349,00 CHF

VAT included

Availability

Available in 3-7 days

Item ref. (SKU)

283629

Discover the Falco binoculars, which are part of our professional range. Designed to the highest standards, they incorporate high-quality optical components treated with the KITE OPTICS MHR coating, allowing for light transmission of up to 90%. They thus offer a natural color reproduction as well as remarkably contrasted images with exceptional depth of field.

DESCRIPTION

INTRODUCTION - FALCO

A range of professional binoculars with objective diameters ranging from 32 mm to 42 mm. The Falco are equipped with high-quality glasses and components. The optics are treated with the KITE OPTICS MHR coating, which offers a light transmission rate of up to 90%. Color perception is perfectly natural, and the image is characterized by exceptional contrast and depth of field. The machined aluminum chassis allows the Falco to be both extremely lightweight and robust.

- LARGE FIELD OF VIEW
- 90% LIGHT TRANSMISSION
- MINIMUM FOCUS 1.7 M
- ADJUSTABLE ALUMINUM EYEPIECES IN 4 REMOVABLE AND REPLACEABLE POSITIONS
- KITE MHR COATING

- LIGHTWEIGHT, COMPACT, AND ERGONOMIC DESIGN
- DELIVERED WITH STRAP, CASE, AND OBJECTIVE COVERS

LIGHT AND VERSATILE

The Falco meet the new trend of high-performance and compact binoculars with objective diameters of 30 mm to 32 mm. Just like the high-end LYNX HD + 30 mm, the FALCO 32 mm have a compact design, weighing less than 500 g. An ideal companion for all outdoor activities.

The 42 mm Falco are designed in the same way, very compact and lightweight. Comfort is optimized with strategically placed thumb impressions on all models.

DESIGNED FOR COMFORT

Comfort is at the heart of the development of the Falco binoculars. Carefully positioned thumb impressions optimize the grip and limit fatigue during long observations. Every detail has been thought out to provide an immersive and comfortable viewing experience.

CONCEPT-TERRAIN

Preparation of your binoculars

Before each delivery, your binoculars undergo a **complete optical and mechanical check** by us — to guarantee you a perfectly adjusted instrument, ready to use from the first use.

To enhance your experience in the field, we add a selection of **essential accessories for free**:

- Attachment of the strap — **Smart-O'Strap®** system
- Attachment of the **comfort connector** of the eyepiece cover
- Attachment of our **anti-slip system** for the objective covers — an exclusive innovation

TECHNICAL SPECIFICATIONS

Magnification	8x
Diameter	32 mm
Light transmission	88%
Brightness	4.1 lg
Field of view at 1000 meters	143 m

Minimum focus	1.7 m
Eyepiece relief	15 mm
Pupil distance (mm)	57-76 mm
Height & width	123x119 (100) mm
Weight	500 g