

 **KITE OPTICS**

Kite | 10x42 FALCO | Concept-Terrain

399,00 CHF

VAT included

Availability

Available in Geneva

Item ref. (SKU)

283650

Discover the Falco binoculars, which are part of our professional range. Designed to the highest standards, they incorporate high-quality optical components treated with the KITE OPTICS MHR coating, allowing for light transmission of up to 90%. They thus provide natural color reproduction as well as remarkably contrasted images with exceptional depth of field.

DESCRIPTION

INTRODUCTION - FALCO

A range of professional binoculars with objective diameters ranging from 32 mm to 42 mm. The Falco are equipped with high-quality glasses and components. The optics are treated with the KITE OPTICS MHR coating, which offers a light transmission rate of up to 90%. Color perception is perfectly natural, and the image is characterized by exceptional contrast and depth of field. The machined aluminum chassis allows the Falco to be both extremely lightweight and robust.

- WIDE FIELD OF VIEW
- 90% LIGHT TRANSMISSION
- MINIMUM FOCUS 1.7 M
- ADJUSTABLE ALUMINUM EYE CUPS IN 4 REMOVABLE AND REPLACEABLE POSITIONS
- KITE MHR COATING

- LIGHTWEIGHT, COMPACT, AND ERGONOMIC DESIGN
- DELIVERED WITH STRAP, CASE, AND OBJECTIVE COVERS

LIGHTWEIGHT AND VERSATILE

The Falco meet the new trend of high-performance and compact binoculars with an objective diameter of 30 mm to 32 mm. Just like the high-end LYNX HD + 30 mm, the FALCO 32 mm have a compact design, weighing less than 500 g. An ideal companion for all outdoor activities.

The Falco 42 mm are designed in the same way, very compact and lightweight. Comfort is optimized with strategically placed thumb impressions on all models.

DESIGNED FOR COMFORT

Comfort is at the heart of the development of the Falco binoculars. Carefully positioned thumb impressions optimize the grip and limit fatigue during long observations. Every detail has been thought out to provide an immersive and comfortable observation experience.

CONCEPT-TERRAIN

Preparation of your binoculars

Before each delivery, your binoculars undergo a **complete optical and mechanical check** by us — to guarantee you a perfectly adjusted instrument, ready to use from the first use.

To enhance your experience in the field, we add a selection of **essential accessories for free**:

- Attachment of the strap — **Smart-O'Strap**© system
- Attachment of the **comfort connector** of the eyepiece cover
- Attachment of our **anti-slip system** for the objective covers — an exclusive innovation

TECHNICAL SPECIFICATIONS

Magnification	10x
Diameter	42 mm
Light transmission	90%
Brightness	4.2 lg
Field of view at 1000 meters	114 m
Minimum focus	1.7 m

Eyepiece relief	17 mm
Pupil distance (mm)	57-74 mm
Height & width	142x125 (108) mm
Weight	699 g